Application No. <u>10/550,942</u> Amendment dated June 29, 2010

Page 2

Amendments to the Claims

The following claims will replace all prior versions of the claims in this application:

 (Currently Amended) A method for obtaining traffic information using billing information of a mobile terminal, comprising the steps of:

receiving call data based on a telephone call made by the terminal on a highway;
extracting unique information of the terminal information from the received call data;
requesting that position information be transmitted at unit-time intervals for a position
tracking operation for the terminal according to the extracted unique terminal information of the
terminal:

tracking a moving path and time of the terminal between base stations according to the transmitted position information; and

producing an average speed per hour between base stations according to the tracked moving path and time.

- (Currently Amended) The method as set forth in claim 1, wherein the base stations
 are installed <u>side-by-side</u> and managed on a highway.
- (Currently Amended) The method as set forth in claim 1, wherein the specified extracted terminal information of the terminal is-includes a terminal identification number.
- (Original) The method as set forth in claim 1, wherein the unit-time intervals for the
 position tracking operation associated with a position information registration request are
 maintained as 30-second intervals.
- (Original) The method as set forth in claim 1, wherein the position information is transmitted together with a wakeup signal.

Application No. 10/550,942 Amendment dated June 29, 2010 Page 3

Page 3

6. (Currently Amended) The method as set forth in claim 1, wherein a <u>predetermined number of</u> sample object is selectively extracted on a section-by-section basis or in each section when the unique information of the terminal information is extracted from the received call data.

- 7. (Currently Amended) The method as set forth in claim 6, wherein the section is formed by a group of one to seven base stations aligned side-by-side.
- 8. (Original) The method as set forth in claim 6, wherein there is at least one sample object on a section-by-section basis.
- (Original) The method as set forth in claim 6, wherein an operation for tracking a lower-priority sample object is terminated when sample objects are concentrated on the sectionby-section basis.
- 10. (Original) The method as set forth in claim 9, wherein the number of sample objects in a corresponding section is increased for a predetermined time, a tracking operation for normally roving sample objects is carried out and a tracking operation for another sample object is terminated, when sample objects are concentrated on the section-by-section basis and an operation for tracking the sample object is terminated the predetermined number of times.
- 11. (Original) The method as set forth in claim 6, wherein an operation for tracking a lower-priority sample object is carried out and an operation for tracking a first priority sample object is terminated, when sample objects are concentrated on a section-by-section basis due to a difference between distances of sections and a difference between moving speeds of the sample objects.
- 12. (Original) The method as set forth in claim 1, wherein the average speed per hour between the base stations is produced by dividing a distance between the base stations based on the moving path by the moving time.

Application No. 10/550,942 Amendment dated June 29, 2010

Page 4

13. (Original) The method as set forth in claim 1, wherein the average speed per hour is

estimated as a maximum speed on a highway when no call data is received when receiving the

call data.

14. (Original) The method as set forth in claim 1, wherein the step of producing the

average speed per hour between the base stations comprises the step of: adding a reference time

to a unit-time interval for the position tracking operation when a movement between the base

stations is not present, and producing the result of the addition.

15. (Original) The method as set forth in claim 14, wherein the reference time is 2

minutes.

16. (Original) The method as set forth in claim 2, further comprising the step of:

terminating the tracking operation when a setup operation is carried out between the terminal and a different base station other than the base stations installed and managed on the

highway.

17. (Original) The method as set forth in claim 16, wherein the tracking operation is

terminated when the setup operation is carried out between the terminal and the different base

station other than the base stations installed and managed on the highway twice or more.

18. (Original) The method as set forth in claim 2, wherein the base stations installed and

managed on the highway have one sector dedicatedly assigned for the highway, respectively.

19. (Currently Amended) A method for obtaining traffic information using billing

information of a mobile terminal, comprising the steps of:

receiving call data based on a telephone call attempted by the terminal on a managed

highway;

extracting unique information of the terminal information from the received call data;

determining whether handoff data has been generated according to the extracted unique terminal information of the terminal:

if the handoff data has been generated, tracking a roving path and time of the terminal between base stations on the managed highway according to a handoff signal; and

producing an average speed per hour between the base stations according to the tracked moving path and time.

- 20. (Currently Amended) The method as set forth in claim 19, wherein the base stations are <u>side-by-side</u> installed and managed on <u>a highwaythe highway</u>.
 - 21. (Original) The method as set forth in claim 19, further comprising the step of: terminating the tracking when the terminal terminates the telephone call.
 - 22. (Original) The method as set forth in claim 19, further comprising the step of: if the handoff data has not been generated, terminating the tracking.
- 23. (Currently Amended) The method as set forth in claim 19, wherein the specified information of the terminal is-terminal information includes a terminal identification number.
- 24. (Original) The method as set forth in claim 19, wherein the average speed per hour between the base stations is produced by dividing a distance between the base stations based on the moving path by the roving time.
- 25. (Currently Amended) The method as set forth in claim 20, further comprising the step of:

terminating the tracking when a setup operation is carried out between the terminal and a different base station other than the base stations installed and managed on the highway, terminating the tracking.

26. (Original) The method as set forth in claim 25, wherein the tracking is terminated

Application No. 10/550,942 Amendment dated June 29, 2010

Page 6

when the setup operation is carried out between the terminal and the different base station other than the base stations installed and managed on the highway twice or more.

27. (Original) The method as set forth in claim 19, wherein the step of producing the average speed per hour between the base stations comprises the step of: grouping two to seven base stations and producing the average speed in a predetermined section.

28. (Original) The method as set forth in claim 20, wherein the base stations installed and managed on the highway have one sector dedicatedly assigned for the highway.

29. (Original) A method for obtaining traffic information using billing information, comprising the steps of:

setting a reference value of a traffic state according to the number of generated telephone calls associated with a corresponding base station on a time zone-by-zone basis;

extracting telephone calls associated with the base station at predetermined time intervals;

comparing the number of the extracted telephone calls with the reference value; and setting a traffic class of a corresponding base station area according to an increase or decrease based on a result of the comparison.

30. (Original) The method as set forth in claim 29, wherein the base station is installed and managed on a highway.

31. (Original) The method as set forth in claim 30, wherein the base station installed and managed on the highway has one sector dedicatedly assigned for the highway.

32. (Original) The method as set forth in claim 30, wherein the predetermined time intervals are 5-minute intervals.